



Existing Fibre Board.
Existing internal lining.

Existing Stud Work
Existing timber stud work, 70mm.

Rockwool Insulation Slab.
Rockwool insulation slabs. Friction fitted in between stud work. 30mm shown.

75mm Envirospan Board
75mm Rockwool core structural insulation board. Magnesium bound wood wool sandwich board. Fixed directly to timber stud work..

Reinforced Base Coat.
4mm Grand G Envirowall high polymer base coat. Applied with toothed trowel. Mesh laid into top surface for maximum reinforcement.

Acrylic Primer.
Roller applied to base coat prior to top coat application

Top Coat.
1.5mm grain Grand through colour acrylic top coat (white shown)